Name candidate:	



Examination questions: Safety for Intermediaries and Supervisors

Event code: Test exam Safety for Intermediaries and Supervisors

Please read the following instructions carefully!

This examination is comprised of **70** multiple-choice questions.

Each question is followed by three possible answers, of which only one is correct.

A maximum of **70** marks can be scored in this examination. Every correct answer scores 1 mark.

You will have passed when you score at least 49 marks.

The maximum time for this examination is **75** minutes.

Requirements:

- these examination questions
- the answer sheet (used to note your answers)
- a pencil and eraser

Directions:

- make sure that you have all the pages in these examination questions
- only use a pencil to enter your answers on the answer sheet
- indicate your answer by using your pencil to blacken the appropriate square
- always thoroughly erase any incorrectly entered answer

A multiple-choice question will be regarded as incorrectly answered when:

- the wrong answer has been chosen
- more than one square has been blackened
- no square has been blackened
- a square has not been blackened, but has been marked in some other way

At the end of the examination:

- write or check your name on the answer sheet
- give the supervisor these examination questions and the answer sheet

VIL-VCU N	lock Exam		Page 1 of 14
	hetween	and	Test exam Safety for Intermediaries and Supervisor

	What is the meaning of the CE marking on a machine?
E	A The product meets the minimum European safety requirements. B The product may only be used in European countries. C The product does not require any regular maintenance in Europe.
	Which body has the authority to order work to be halted?
E	A The government's Health and Safety Inspection Service. B The arbodienst (Occupational Health and Safety Service) C The union.
	What can endanger the well-being at work of an employee?
E	A The lack of a CLA (collective labour agreement). B Personal circumstances. C Going home too early.
	Must an employer take measures to reduce risks to people living nearby?
E	A Yes, the employer is also responsible for the safety of people living nearby. B Yes, but only if the building site is not fenced off. C No, the employer is not responsible for this.
	A temporary agency worker is put to work by a temporary employment agency at a hiring company. Who is responsible for the application of the Health and Safety (H&S) legislation?
E	A The hiring company. B The temporary employment agency. C This is defined in the temporary employment contract.
	For which actions is the risk of accident the highest?
E	For which actions is the risk of accident the highest? A Fashioning steel with an angle grinder. B Fashioning steel with a hammer. C Fashioning steel with a file.

	What is a Task Risk Analysis (TRA)?
	A An analysis of the risks associated with carrying out work. B An evaluation of the tasks identified in the Risk Assessment and Evaluation (RA&E). C An overview of the tasks that may cause risks within a company.
	You come across an unsafe situation at your work. What is the first thing you must do?
	A Inform the government's Health and Safety Inspection Service. B Remain near the unsafe situation. C Try to remove its cause.
	What is a risk evaluation?
	A The determination of the severity of the risks. B An evaluation conducted at the end of the work together with supervisors. C Consultation and the recording of potential hazards on the work floor.
	How do you communicate with employees about the risks and control measures on the work floor?
	A Through discussion among all of the immediate supervisors in all departments. B Through discussion among all operational employees in a department. C Through discussion among the immediate supervisor and his/her operational employees.
	An accident without serious injury has occurred. What should be done in this case?
	A This must be reported to the government's Health and Safety Inspection Service within 24 hours. B Steps must be taken to prevent the accident's recurrence. C The accident must be reported to the Emergency Services by dialling 112.
	What is an example of a person-related factor that could lead to an accident?
	A Insufficient knowledge. B Inadequate supervision. C Insufficient time.
L-\	VCU Mock Exam Page 3 of 14
	between:_ and:_ Test exam Safety for Intermediaries and Supervisors

13	What technical measure prevents accidents involving grinders within a company?
	A Appointing an experienced technical manager. B Selecting a sound ergonomic design. C Establishing clear work instructions.
14	What are parts of an accident investigation?
	A A possible warning or fine issued by the government's Health and Safety Inspection Service. B Fast accident reporting and appropriate emergency assistance. C The gathering and analysis of evidence and a final report.
15	What constitutes a good plan of approach?
	A A verbal explanation of the Risk Assessment and Evaluation (RA&E) and the identified measures. B A written report on the measures as a result of the Risk Assessment and Evaluation (RA&E). C A presentation about the Risk Assessment and Evaluation (RA&E) and the identified measures.
16	Why is order and tidiness important to working safely?
	A The number of accidents goes down when there is order and tidiness. B Working in a dusty environment is unhealthy. C Because this is important for the company's image.
17	What is a frequent cause of stumbling, slipping or tripping?
	A The presence of cables and pipes lying across a walkway. B Failure to wear safety footwear. C The lack of barrier tape along a walkway.
18	What increases the probability of unsafe behaviour on the part of an employee?
	A Arrangements concerning the execution of the work have been made. B There is discord between the employer and the works council. C The work order is incomplete.
VIL-	VCU Mock Exam Page 4 of 14
	between: and: Test exam Safety for Intermediaries and Supervisors

is one task of the intermediary in posting a temporary agency worker to carry out a high-sk?
arrangements with the hiring company concerning the specific instructions to be do to the temporary agency worker. arrangements with the hiring company concerning the specific instructions to be do to the temporary agency worker with the temporary agency worker is following the cons. de the temporary agency worker with the training required to use the machines at the
ce.
is part of the intermediary's task to encourage safe working?
lige the hiring company to discuss all safety facilities with the intermediary in advance. aluate the execution of the job. roduce safer working methods into the labour process.
action is an employee required to take if a protective device adversely impacts the pace k?
echnical services to remove the protective device. the protective device in place and use it in the correct way orarily deactivate the protective device him/herself.
work accidents must be reported to the government's Health and Safety Inspection e?
rious accidents.
cidents. atal accidents.
is a safety passport?
sonal document stating important details regarding education, training courses, medical and vaccinations. Sonal document that keeps track of the companies where the employee has worked. Sonal document that the employee is required to show when travelling abroad and that is the companies for which he/she has worked.

__-_- between __:__ and __:__

Test exam Safety for Intermediaries and Supervisors

24	What is the task of the temporary employment agency with respect to health and safety at work?
	A Provide the temporary agency worker with general information about content, risks and prevention measures. B Provide the necessary personal protective equipment (PPE - Dutch abbreviation: PBM's).
	C Organise the safety training.
25	What must the hiring company define when requesting a temporary agency worker?
	A What personal protective equipment (PPE - Dutch abbreviation: PBM's) must be worn. B Quality requirements that the personal protective equipment (PPE - Dutch abbreviation: PBM's) must meet.
	C The conditions for working overtime in safe circumstances.
26	What is the purpose of general safety rules?
	A They govern reporting in and out at the work site. B They govern the use of safety harnesses for working at height. C They identify the correct barriers to be installed for work activities.
27	In which situation should you use a blanking flange?
	A When checking the contents of a tank via a sampling point. B To prevent internal contamination when transporting new pipes. C To shut off the supply line when working in a confined space.
28	Why would it be necessary to obtain a supplementary werkvergunning (work permit)?
	A For working with tools and machines. B For working with cranes and cherry pickers near important installations. C For working with extension ladders.
29	What does a prohibitory sign on the construction site look like?
	A Circular white sign with a blue symbol. B Circular white sign with a red border and a red diagonal line. C Diamond-shaped orange sign that contains a white symbol.
VIL-	VCU Mock Exam Page 6 of 14
	between:_ and:_ Test exam Safety for Intermediaries and Supervisors

٦

Γ

L-\	/CU Mock Exam Page 7 of 1
	A A filter mask with the correct filter cartridge. B A disposable mask, provided it is a good fit for your face. C Self-contained breathing apparatus.
l	What type of breathing protection do you use in a space with little oxygen?
	A To provide first aid to victims. B To prepare the (internal) company emergency plan. C To train employees in intervention.
}	What is a task of the bedrijfshulpverlening (company emergency response team)?
	What are the phases in controlling and tackling emergency situations? A The initial alarm, the actions and measures, and finally the termination. B The initial alarm, the implementation of measures, and termination by a sound signal. C The initial alarm, the installation of crowd control barriers and alerting the emergency services.
	What are the phases in controlling and tackling amergency situations?
	A Ensure that the werkvergunning (work permit) is handed in immediately when the work ends. B Ensure that the werkvergunning (work permit) is available at the place of work. C Ensure that he/she can use the werkvergunning (work permit) again the next time.
	The supervisor has an important task concerning werkvergunningen (work permits). What is the minimum he/she must do?
	B It is a mandatory component of the briefing programme. C It is a voluntary component of the briefing programme.
	A It is only mandatory if so indicated by the arbodienst (Occupational Health and Safety Service).
)	What rules apply to the employer in terms of paying attention to the hazards at the work site?

Test exam Safety for Intermediaries and Supervisors

__-_ between __:__ and __:__

35	A hazardous situation arises. When should people and the source be separated from each
	other?

- A When it is impossible to tackle the source.
- B Once you have successfully dealt with the source.
- C When personal protective equipment (PPE Dutch abbreviation: PBM's) is not available.
- The following pictogram is displayed on the packaging of a substance. What is a characteristic of this substance?



(black symbol on white background with red border)

- A Corrosive.
- B Highly flammable.
- C Oxidising.
- What could be a cause of hazardous substances leaking out of a storage tank?
 - A Poor mounting of flanges.
 - B The liquid level being too low.
 - C Inadequate ventilation.
- What can affect the consequences of poisoning?
 - A The victim's experience.
 - B The victim's age.
 - C The victim's training and education.

VIL-VCU Mock Exam Page 8 of 14

_-__- between __:__ and __:__ Test exam Safety for Intermediaries and Supervisors

39	What does the blue area of the hazard diamond identify?
	A The health risks. B The stability of the substance. C The risk of fire.
40	Where could asbestos be present?
	A In the heat insulation of installations. B In old furniture. C In packaging materials.
41	What is the name of the concept in which substances start burning without the aid of an ignition source?
	A Ignition temperature. B Flashpoint. C Auto-ignition temperature.
42	What is the first thing you should do when you discover a fire?
	A Alert the fire department. B Alert the police. C Ensure your own safety.
43	What is an explosion-hazardous environment?
	A An environment in which an explosive mixture can arise. B An environment where many explosions happen. C An environment with too much gas and too little air.
44	How does a catalyst affect a fire?
	A It affects the speed of the combustion process. B It affects the flashpoint of a liquid. C It affects the smoke production of a fire.
VIL-	VCU Mock Exam Page 9 of 14
	between:_ and:_ Test exam Safety for Intermediaries and Supervisors

45	Why is sand a good extinguishing agent for flammable liquids spread across the ground?					
	A Sand inhibits the supply of oxygen. B Sand cools the liquids. C Sand retards combustion.					
46	What is an important issue when assigning a job to a temporary agency worker?					
	A Approval from the hiring company if the selection deviates from the conditions in the request. B Information from the hiring company if the selection deviates from the conditions in the request. C Approval from the temporary agency worker if the selection deviates from the conditions in					
	the request.					
47	You are working with a large compressed air-driven jackhammer. With what requirement must this pneumatic hand tool comply?					
	A This pneumatic hammer may only be used by workers who are legally certified to do so. B This pneumatic hammer must be suitable for different types of work. C This pneumatic hammer must feature a dead man's switch.					
18	A safe hand grinder must be equipped with which of the following?					
	A A side handle. B Zero voltage protection. C A lockable switch.					
19	Which of the following is a hazard in working with hoisting equipment?					
	A The employee may become physically overburdened. B The employee may incur hearing loss. C The load falling off the hook.					
VIL-	VCU Mock Exam Page 10 of 14					
_ - -	between:_ and:_ Test exam Safety for Intermediaries and Supervisors					

	Which of the devices listed below is an unpowered hoisting device?
	A A hoisting container. B A crab. C A manual hoist.
	Are you permitted to use a forklift truck as a hoisting device?
	A Only if the forklift truck is equipped with special hoisting equipment. B This is only permitted when lifting slings around the tines are used for hoisting. C This is never permitted with any forklift truck.
	Which toolbox meetings should a temporary agency worker attend?
	A The toolbox meetings organised by the hiring company and where the temporary agency worker is involved as an operational employee. B The toolbox meetings that are organised by the temporary employment agency. C He/she is not obliged to attend toolbox meetings.
	Why is the use of propane in pits and cellars dangerous?
	A The use of propane is associated with very high temperatures and fire can erupt in pits and cellars. B The use of propane consumes very high amounts of oxygen. C Propane is heavier than air, as a result of which it collects at the lowest point.
	How can you prevent falling hazards at the edge of a work floor?
	A By putting proper barriers at the edge of the work floor. B By giving the workers proper instruction at the start of the work. C By placing warning signs at the edge of the work floor.
L-\ —	VCU Mock Exam Page 11 of 14
	between:_ and:_ Test exam Safety for Intermediaries and Superviso

,	You come across a spread out tarpaulin on a work floor. What is the one thing you must be sure to take into consideration?
	A That the wind has caused the tarpaulin to become loose.
	B You may only put rubbish on this tarpaulin. C That there might be an opening below the tarpaulin.
	Working with gas cylinders/bottles in an excavation can create added danger. What safety measure do you need to take?
	A Do not place any gas cylinders/bottles in the excavation.
	B Only position the gas cylinders/bottles against the wall of the excavation. C Never work with gas in or near an excavation.
	What safety rules apply to working in a safety cage attached to a crane?
	A Wearing personal fall protection (safety harness) is mandatory. B The crane driver and the people in the safety cage must be able to see each other at all
	times. C Entering or exiting the safety cage is permitted when it is less than one metre off the ground.
	What increases the risk of fire or explosion in a confined space?
	A There is little ventilation, as a result of which the air pressure can increase quickly.
	B There is little ventilation, as a result of which the LEL (Lower Explosion Limit) can be reached
	quickly. C There is little ventilation, as a result of which the grenswaarde (Dutch for: threshold limit value) (MAC value) can be reached quickly.
	quickly. C There is little ventilation, as a result of which the grenswaarde (Dutch for: threshold limit
	quickly. C There is little ventilation, as a result of which the grenswaarde (Dutch for: threshold limit value) (MAC value) can be reached quickly. What aspect must definitely be considered in conducting an evaluation of the temporary
	quickly. C There is little ventilation, as a result of which the grenswaarde (Dutch for: threshold limit value) (MAC value) can be reached quickly. What aspect must definitely be considered in conducting an evaluation of the temporary agency worker with the hiring company? A The following of safety instructions by the temporary agency worker. B The wear and tear on the personal protective equipment (PPE - Dutch abbreviation: PBM's) when carrying out the work.


60	How can you reduce the risk of electrocution?
	A By standing on a rubber mat. B By working with wet hands. C You cannot reduce the risk of electrocution.
61	What increases the risk of accidents involving electricity at your workplace?
	A The use of uninsulated tools. B The use of rechargeable tools. C The use of spark-free tools.
62	What is a hazard in the use of extension cables and multiple sockets?
	A Overloading of the cable, which can lead to fire. B Short-circuit when too many power cables and electrical plugs are used. C Leakage currents with the attendant danger of electrocution.
63	When are you allowed to work independently on an electrical installation?
	A When you have a diploma for this. B When you have the VCA (SCC) Basic Safety diploma. C After you have received verbal instructions.
64	What are the hazards of exposure to noise?
	A Reduced concentration. B Heart rhythm disorders. C Muscle ache.
6 5	Two noise sources of 80 dB(A) each are placed together. How high is the total sound (pressure) level?
	A 83 dB(A). B 120 dB(A). C 160 dB(A).
VIL-	VCU Mock Exam Page 13 of 14
	between:_ and:_ Test exam Safety for Intermediaries and Supervisors

6	Who is responsible for making suitable equipment available for use during lifting?							
	A The Occupational Health and Safety doctor. B The safety expert. C The employer.							
7	What is the requirement that personal protective equipment (PPE - Dutch abbreviation: PBM's) is expected to meet?							
	A It must be approved by the arbodienst (Occupational Health and Safety Service). B It must have a CE mark. C It must have a KEMA quality mark.							
8	What is the maximum attenuation value of hearing protection plugs?							
	A 10 dB(A). B 30 dB(A). C 45 dB(A).							
9	How are the different protection classes of dust filters designated?							
9	How are the different protection classes of dust filters designated? A Blue, brown and black. B P1, P2 and P3. C S1, S2 and S3.							
9	A Blue, brown and black. B P1, P2 and P3.							
	A Blue, brown and black. B P1, P2 and P3. C S1, S2 and S3.							
	A Blue, brown and black. B P1, P2 and P3. C S1, S2 and S3. What requirement is a safety harness expected to meet? A A safety harness must have double stitched shoulder straps. B A safety harness must fit well and be adjusted to the wearer.							
	A Blue, brown and black. B P1, P2 and P3. C S1, S2 and S3. What requirement is a safety harness expected to meet? A A safety harness must have double stitched shoulder straps. B A safety harness must fit well and be adjusted to the wearer.							



Examenevenementcode			
			_
Nummer Examencentrum	1		
			1

	U ITZENI	D- EN DETACHE	RINGSBUREAUS				
Examencen	trum						
Lokatie							
Datum exan	nen						
Examenvorr Schriftelijk		amen					
Nummer kai	ndidaat						Fouten
Achternaam							
Voornaam o	of voorletters						
Geboorteda	tum						Score
Geboorteplaats							
Let op! Alleei juist!	n invullen met ee	n zwart potlo	od, verbeter door	het foute ant	twoord goed uit te ç	gummen. Sle	echts 1 antwoord is
	A B C		A B C		A B C		АВС
1	000	21		41		61	000
2	000	22	000	42	$\circ \circ \circ$	62	000
3	000	23	000	43	$\circ \circ \circ$	63	$\circ \circ \circ$
4	$\circ \circ \circ$	24	$\circ \circ \circ$	44	$\circ \circ \circ$	64	$\circ \circ \circ$
5	$\circ \circ \circ$	25	$\circ \circ \circ$	45	$\circ \circ \circ$	65	$\circ \circ \circ$
6	$\circ \circ \circ$	26	$\circ \circ \circ$	46	$\circ \circ \circ$	66	$\circ \circ \circ$
7	$\circ \circ \circ$	27	$\circ \circ \circ$	47	$\circ \circ \circ$	67	$\circ \circ \circ$
8	$\circ \circ \circ$	28	$\circ \circ \circ$	48	$\circ \circ \circ$	68	$\circ \circ \circ$
9	$\circ \circ \circ$	29	$\circ \circ \circ$	49	$\circ \circ \circ$	69	$\circ \circ \circ$
10	$\circ \circ \circ$	30	$\circ \circ \circ$	50	$\circ \circ \circ$	70	$\circ \circ \circ$
11	$\circ \circ \circ$	31	$\circ \circ \circ$	51	$\circ \circ \circ$		
12	$\circ \circ \circ$	32	$\circ \circ \circ$	52	$\circ \circ \circ$		
13	$\circ \circ \circ$	33	$\circ \circ \circ$	53	$\circ \circ \circ$		
14	$\circ \circ \circ$	34	$\circ \circ \circ$	54	$\circ \circ \circ$		
15	000	35	000	55	$\circ \circ \circ$		
16	000	36	000	56	$\circ \circ \circ$		
17	000	37	000	57	$\circ \circ \circ$		
18	000	38	000	58	$\circ \circ \circ$		
19	000	39	000	59	$\circ \circ \circ$		
20	000	40	000	60	000		



	U ITZEND- EN DET	ACHER	RINGSBUREAUS				
Examencentrum							
Lokatie							
Datum examen							
Examenvorm Schriftelijk Vo	orleesexamen						
Nummer kandidaa	t						Fouten
Achternaam							
Voornaam of voorl	etters						
Geboortedatum							Score
Geboorteplaats							
Let op! Alleen invul juist!	len met een zwart p	ootloo	d, verbeter door	het foute ant	woord goed uit te g	gummen. Sled	chts 1 antwoord is
А	в с		A B C		A В С		A В С
1	\circ	21	$\bigcirc \bullet \bigcirc$	41	\bigcirc \bigcirc \bigcirc	61	ullet
2	\circ	22	ullet	42	\bigcirc \bigcirc \bullet	62	ullet
3	ullet	23	ullet	43	\bullet \circ \circ	63	ullet
4	\circ	24	ullet	44	ullet	64	ullet
5	\circ	25	ullet	45	ullet	65	ullet
6	\circ	26	ullet	46	ullet	66	$\circ \circ \bullet$
7	\circ	27	$\circ \circ \bullet$	47	$\circ \circ \bullet$	67	$\circ \bullet \circ$
8	\bigcirc $lacktriangle$	28	$\circ \bullet \circ$	48	ullet	68	ullet
9	\circ	29	$\circ \bullet \circ$	49	$\circ \circ \bullet$	69	$\circ \bullet \circ$
10	\bigcirc $lacktriangle$	30	$\circ \bullet \circ$	50	$\circ \circ \bullet$	70	$\bigcirc \bullet \bigcirc$
		31	$\circ \bullet \circ$	51	ullet		
	\circ	32	ullet	52	ullet		
		33	ullet	53	$\circ \circ \bullet$		
	\bigcirc $lacktriangle$	34	$\circ \circ \bullet$	54	ullet		
	ullet	35	ullet	55	\bigcirc \bigcirc \bigcirc		
	\circ	36	$\circ \circ \bullet$	56	\bullet \circ \circ		
	\circ	37	ullet	57	\bullet \circ \circ		
	\bigcirc $lacktriangle$	38	$\circ \bullet \circ$	58	$\bigcirc \bullet \bigcirc$		
	\circ	39	ullet	59	\bullet \circ \circ		
20 🔘	$lue{}$	40	lacktriangle	60	$lue{}$		

40026



	Examenevenementcode	
V GM	Nummer Examencentrum	
C HECKLIST		
U ITZEND- EN DETACHERINGSB	BUREAUS	
Examencentrum		
Lokatie		
Datum examen		
Examenvorm Schriftelijk Voorleesexamen		
Nummer kandidaat	Fouten	
Achternaam		
Voornaam of voorletters		
	Score	
Geboortedatum	00010	
Geboorteplaats		
	beter door het foute antwoord goed uit te gummen. Slechts 1 antwoord is	
juist!		
A B C A	B C A B C A B C	
1 21	41 61	
2 22	42 62	
3 23	43 63	
4 24	44 64	
	45 65	
6 26	46	
7 27	47 67	
8 28	48 68 68	
9 29	49 69	
10 30	50 70	
11 31	51	
12 32	52	
13 33	53	
14 34	54	
15 35	55	
16 36	56	
17 37	57	
18 38	58	
19 39	59	